

RELEASE NOTIFICATION/REPORTING FORM



Mail to: GEORGIA ENVIRONMENTAL PROTECTION DIVISION
 Hazardous Sites Response Program
 Suite 1462, Floyd Tower East
 2 Martin Luther King Jr. Drive, SE
 Atlanta, Georgia 30334-9000

RECEIVED
 Georgia EPD

JUL 13 2009

Hazardous Sites
 Response Program

1. The information provided in this form is for:
 Initial Release Notification
 Supplemental Notification

PART I -- PROPERTY INFORMATION

(Please type or print legibly)

2	EPA ID NUMBER (if applicable)	GAD003264850			
3	Tax Map and Parcel ID Number:	Jackson County- 034 032	Acres	9.35	
4	Site or Facility Name	Roper Pump Company			
5	Site Street Address	3475 Old Maysville Road			
6	Site City	Commerce	County	Jackson	Zip 30529
7	Property Owner	Roper Pump Company			
8	Property Owner Mailing Address	P.O. Box 269			
9	Property Owner City	Commerce	State	GA	Zip 30529
10	Property Owner Telephone No.	706-335-5551			
11	Site Contact Person	Walt Stadnisky	Title	President	
12	Site Contact Company Name	Roper Pump Company			
13	Site Contact Mailing Address	P.O. Box 269			
14	Site Contact City	Commerce	State	GA	Zip 30529
15	Site Contact Telephone No.	706-336-3300			
16	Facility Operator Contact Person	Walt Stadnisky	Title	President	
17	Facility Operator Company Name	Roper Pump Company			
18	Facility Operator Mailing Address	P.O. Box 269			
19	Facility Operator City	Commerce	State	GA	Zip 30529
20	Facility Operator Telephone No.	706-336-3300			

21. CERTIFICATION --I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Walt Stadnisky
 NAME (Please type or print)

SIGNATURE

President
 TITLE

DATE

PART II -- RELEASE INFORMATION

Please provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, wastepile etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

Unknown

2. Release dates(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, liquid/gas, sludge) and the quantity of material released (lbs, cubic yards, etc.):

Unknown

3. Describe those actions that have been taken to investigate, cleanup or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

A subsurface investigation has been performed on the property. Soil and groundwater samples were collected and analyzed for VOC. Temporary groundwater monitoring wells have been installed (Refer to site summary).

4. Access to the area affected by the release. Check the appropriate box:

- Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
- Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
- Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

The property is enclosed by a fence and has security guards (24-hour).

5. For soil releases, indicate the type of material covering this release, by checking the appropriate box below.

- A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
- An engineered and maintained earthen material or compacted fill or a high density synthetic material
- Loose earthen fill or native soil
- No cover
- Other

Describe the type and thickness of the material covering the contaminated soil or wastes.

Concrete or asphalt paved

PART II -- RELEASE INFORMATION

(Continued)

Page 2 of 4

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

- Less than 300 feet 1001 to 3000 feet Greater than 1 mile
 301 to 1000 feet 3001 to 5280 feet

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: Clyde and Lena Watson

Address: 3695 Old Maysville Rd Commerce, GA 30529-1313

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

- Less than 0.5 miles 1 to 2 miles Greater than 3 miles
 0.5 to 1 mile 2 to 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: Rosemary C. Massey

Address: 16 Mount Olive Church Rd, Commerce, GA 30599-9900

8. Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

- Yes No

If yes, provide details on the potentially affected humans or sensitive environments.

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the locations of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g., parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you MUST submit an original U.S.G.S. topographical map (1:24000) with the geographic center of the site clearly marked. U.S.G.S. topographic maps are available for purchase on-line at <http://qgsstore.dnr.state.ga.us>.

**HSRA SITE SUMMARY
Roper Pump Company
3475 Old Maysville Road
Commerce, GA 30529**

July 2009

Roper Pump Company manufactures industrial pumps at its 9.35 acre property located at 3475 Old Maysville Road in Commerce, Georgia (the "Site"). The property is improved with structures associated with manufacturing, maintenance, storage, and administration. The entire Site is covered with concrete/asphalt with the exception of a small grass area to the northeast of the main building. The Site Plan is included as Figure 1 in Exhibit A. Figure 2 is the USGS Quadrangle Map. Laboratory analytical data sheets for sample data related to this notification are included in Exhibit B. Representative boring logs are included in Exhibit C.

During a planned building expansion project, stained soils were observed beneath demolished concrete and asphalt. Soil samples collected from the construction area were analyzed for VOC, SVOC, and RCRA metals. SVOC were not detected. RCRA metals were detected at concentrations below HSRA Notification Concentrations (NC) and background concentrations. Chlorinated VOC were the only VOC detected.

Stained soil was subsequently excavated to 1-foot below grade and samples were taken at the bottom of the excavation (VOC and RCRA metals). RCRA metals were detected at concentrations below the HSRA notification concentrations and background concentrations. Chlorinated VOC were detected above the HSRA NC. Figure 3B shows the excavation soil sample locations.

Additional soil samples were later collected in areas outside of the excavation footprint. These locations are shown on Figures 3A. In May and June 2009, groundwater samples were collected for VOC analysis from 14 temporary wells. Representative boring logs are included in Exhibit C. PCE was the predominant constituent detected. Figure 4 shows the groundwater sample locations.

EPS performed a drinking water well survey in May 2009. The survey encompassed a 1-mile radius, included interviews with residences and city and county personnel, and included a review of county and city water line diagrams. Nineteen confirmed drinking water wells were identified within a 1-mile radius of the Site. The wells are shown on Figure 5.



RELEASE NOTIFICATION FORM

HAZARDOUS SITES RESPONSE PROGRAM
 GEORGIA ENVIRONMENTAL PROTECTION DIVISION
 (Please type or print legibly)

RECEIVED
 Georgia EPD

JUL 15 2009

Hazardous Sites
 Response Program

1. The information provided in this form is for:
 Initial Release Notification
 Supplemental Notification

PART I -- PROPERTY INFORMATION

2	EPA ID NUMBER (if applicable)				
3	Tax Map and Parcel ID Number:	14-0237-0001-018-7			
4	Site or Facility Name	ADAMSVILLE CLEANERS			
5	Site Street Address	3206 MARTIN LUTHER KING, JR. DRIVE			
6	Site City	ATLANTA	County	FULTON	Zip 30311
7	Property Owner	MM&J ASSOCIATES, LLC			
8	Property Owner Mailing Address	229 CHANDLER WALK			
9	Property Owner City	LOGANVILLE	State	GEORGIA	Zip 30052
10	Property Owner Telephone No.	770-290-3431			
11	Site Contact Person	MR. MIKE MAUNEY	Title	CO-OWNER	
12	Company Name	MM&J ASSOCIATES, LLC			
13	Site Contact Mailing Address	229 CHANDLER WALK			
14	Site Contact City	LOGANVILLE	State	GEORGIA	ZIP 30052
15	Site Contact Telephone No.	770-290-3431			
16	Facility Operator	MR. KARIM BINJI	Title	OPERATOR	
17	Company Name	ADAMSVILLE CLEANERS			
18	Facility Operator Mailing Address	3206 MARTIN LUTHER KING, JR. DRIVE			
19	Facility Operator City	ATLANTA	State	GEORGIA	ZIP 30311
20	Facility Operator Telephone No.	404-691-7769			


21. CERTIFICATION - I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

MR. MIKE MAUNEY

NAME (Please type or print)

CO-OWNER

TITLE


 SIGNATURE

7-14-09
 DATE

PART II -- RELEASE INFORMATION

Page 1 of 4

Please Provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, wastepile etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

The specific source of the release is not certain, but is presumed to be historical spillage of dry cleaning solvents in or around the dry cleaners.

2. Release date(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, sludge) and the quantity of the material released (lbs, cubic yards, etc.)

The release date and quantity are unknown. The physical state of the material is also unknown, but is presumed to be liquid.

3. Describe those actions that have been taken to investigate, clean up or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

The investigation during which this contamination was identified is described in the attached narrative. No steps have been taken to remediate this release.

4. Access to the area affected by the release. Check the appropriate box:

- Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
 Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
 Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

Soil contamination exceeding Notification Concentrations was identified in one location beneath the floor slab of the building, and a second location outside the southeast corner of the building. The interior area is used by employees only and is not accessible to the public. The exterior location is within a chain-link fence which is kept locked.

5. For soil releases, indicate the type of material covering the release, by checking the appropriate box below.

- A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
 An engineered and maintained earthen material or compacted fill or a high density synthetic material
 Loose earthen fill or native soil
 No cover
 Other _____

Describe the type and thickness of the material covering the contaminated soil or wastes.

The interior building slab is approximately six inches thick. The exterior sample is covered by asphalt.

PART II -- RELEASE INFORMATION

(Continued)

Page 2 of 4

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

Less than 300 feet 1001 to 3000 feet Greater than 1 mile
 301 to 1000 feet 3001 to 5280 feet Unknown

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: Adamsville Recreation Center

Address: 3404 Delmar Lane, Atlanta, Georgia

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

Less than 0.5 miles 1 to 2 miles Greater than 3 miles
 0.5 to 1 mile 2 to 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: Distance is unknown

Address: _____

Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

Yes No

If yes, provide details on the potentially affected humans or sensitive environments.

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the location of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g. parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you MUST submit an original USGS topographic map (1:24000) with the geographic center of the site clearly marked. See instructions for information on how to obtain an original of the map on which your site is located.

3206 MARTIN LUTHER KING, JR. DRIVE
HSRA Initial Release Notification
Site Summary

The subject site is located on the south side of MLK, Jr. Drive, about 200 feet southeast of its intersection with Harwell Road. (See Figures 1 and 2.) The site includes approximately one-quarter acre and supports a single-story building which is leased by the Adamsville Cleaners.

In January 2009, LOGIC completed a Phase I and Phase II environmental site investigation on the adjoining property, 3202 MLK, Jr. Drive. Groundwater sampling performed during this investigation identified low concentrations of dry cleaning solvents in groundwater on the adjoining property. This release was reported to the Georgia EPD, which issued a determination that a release exceeding a reportable quantity had occurred. In a letter to Mike Mauney, dated April 23, 2009, Mr. David Reuland of the the HSRA Unit requested an independent investigation of the 3206 property in order to identify evidence of possible releases.

In response to this request, LOGIC collected samples from five locations at the dry cleaners property on June 29, 2009. The locations are illustrated by Figure 3. Two soil samples (HA-1 and HA-2) were collected using a hand auger from a depth of 3-4 feet beneath the floor slab of the building. Both samples were collected within eight feet of the dry cleaning machine, situated in the south half of the building. A 55-gallon drum for spent solvent sludge was kept immediately adjacent to this machine. Three additional soil samples were collected from a depth interval of 10-12 feet outside the building, using a direct-push unit, at locations SB-1 through SB-3. Two direct-push borings were advanced on the east (downgradient) side of the building, and all locations were in close proximity to the portions of the building where solvent and waste handling have historically been confined.

Two of the five soil samples submitted for lab analysis (SB-1 and HA-2) demonstrated percchloroethylene concentrations exceeding the HSRA notification concentration. The highest per concentration in soil was 6.20 mg/Kg, identified at location SB-1. This location is within a chain-link security fence which encloses the south and west sides of the property. Trichloroethylene was also identified in this location at 10.0 mg/Kg.

Dissolved perc and perc breakdown products were identified in each of the two groundwater samples submitted for analysis. The highest perc concentration identified in groundwater was 120 micrograms per liter (ug/L) identified at GW-1. Concentrations of cis-1,2-Dichloroethylene, TCE and vinyl chloride were also identified at concentrations exceeding their respective MCLs. Perc was identified in location GW-2 at 54 ug/L and 1,1-Dichloroethylene was identified in this sample at 11 ug/L, both exceeding their MCLs.

No corrective action has been taken in response to this release and no imminent health threat is apparent, given the contamination concentrations, the absence of obvious groundwater receptors in the immediate area, and highly developed character of the site and the surrounding area.

RELEASE NOTIFICATION/REPORTING FORM



Mail to: GEORGIA ENVIRONMENTAL PROTECTION DIVISION
 Hazardous Sites Response Program
 Suite 1462, Floyd Tower East
 2 Martin Luther King Jr. Drive, SE
 Atlanta, Georgia 30334-9000

RECEIVED
 Georgia DEP
 JUL 21 2009
 Hazardous Sites
 Response Program

1. The information provided in this form is for:
 Initial Release Notification
 Supplemental Notification

PART I -- PROPERTY INFORMATION

(Please type or print legibly)

2	EPA ID NUMBER (if applicable)			
3	Tax Map and Parcel ID Number:	0227 001	Acreage	42.84
4	Site or Facility Name	YRC INC. f.k.a. ROADWAY EXPRESS		
5	Site Street Address	6470 Lake Park - Bellville Road		
6	Site City	Lake Park	County	Lowndes Zip 31636
7	Property Owner	Estes Express Lines		
8	Property Owner Mailing Address	1300 West Broad Street		
9	Property Owner City	Richmond	State	VA Zip 23230
10	Property Owner Telephone No.	(804) 353-1900		
11	Site Contact Person	STEVE SHINNERS	Title	SR. MGR - ENVIRONMENTAL
12	Site Contact Company Name	YRC INC.		
13	Site Contact Mailing Address	10990 ROE AVE		
14	Site Contact City	OVERLAND PARK	State	KS Zip 66211
15	Site Contact Telephone No.	913-344-3615		
16	Facility Operator Contact Person	DAVE HEGENER	Title	REGIONAL MANAGER
17	Facility Operator Company Name	YRC INC.		
18	Facility Operator Mailing Address	6470 LAKE PARK - BELLVILLE ROAD		
19	Facility Operator City	LAKE PARK	State	GA Zip 31636
20	Facility Operator Telephone No.	229-559-6600		

21. CERTIFICATION -- I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

STEVEN P. SHINNERS

NAME (Please type or print)

SR. MGR - ENVIRONMENTAL

TITLE

[Handwritten Signature]

SIGNATURE

7-16-09

DATE

PART II -- RELEASE INFORMATION

Page 2 of 5

Please provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, wastepile etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

The suspected source of the release is spills occurring during the routine repair and maintenance of forklifts.

2. Release date(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, liquid/gas, sludge) and the quantity of material released (lbs, cubic yards, etc.):

The release dates are unknown. The facility has been in operation since 1978. A new mineral spirits based parts cleaner was installed 2 years ago.

3. Describe those actions that have been taken to investigate, cleanup or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

No cleanup has been initiated at the site. Soil and groundwater samples have been collected and analyzed. See summary.

4. Access to the area affected by the release. Check the appropriate box:

- Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
 Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
 Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

The facility is surrounded by a gated fence, which remains open during business hours.

5. For soil releases, indicate the type of material covering this release, by checking the appropriate box below.

- A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
 An engineered and maintained earthen material or compacted fill or a high density synthetic material
 Loose earthen fill or native soil
 No cover
 Other

Describe the type and thickness of the material covering the contaminated soil or wastes.

Concrete approximately 10 inches thick
Asphalt approximately 6 inches thick

PART II -- RELEASE INFORMATION

(Continued)

Page 3 of 5

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

- Less than 300 feet 1001 to 3000 feet Greater than 1 mile
 301 to 1000 feet 3001 to 5280 feet

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: Lawrence Porter
Address: 6328 Peterson Road, Lake Park, GA

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

- Less than 0.5 miles 1 to 2 miles Greater than 3 miles
 0.5 to 1 mile 2 to 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: Lawrence Porter
Address: 6328 Peterson Road, Lake Park, GA

8. Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

- Yes No

If yes, provide details on the potentially affected humans or sensitive environments.

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the locations of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g., parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you MUST submit an original U.S.G.S. topographical map (1:24000) with the geographic center of the site clearly marked. U.S.G.S. topographic maps are available for purchase on-line at <http://ggsstore.dnr.state.ga.us>.

**Roadway Express Trucking Terminal
6470 Lake Park – Belleville Road
Lake Park, Georgia**

Site Summary

A Phase II Environmental Site Assessment (ESA) was performed at the Roadway Express trucking terminal between June 9 and June 19, 2009 for a property transaction. According to an ESA conducted by Hart and Hickman (dated May 15, 2009) the facility was built in 1977 and has operated as a Roadway Express trucking terminal from 1978 until present. The facility covers approximately 43 acres. The facility consists of an office, a trailer repair building, a 131 door terminal, a forklift maintenance building (FMB), and a very large parking area. A gated fence surrounds the facility, but the gate remains open during business hours. The entrance is along Lake Park-Belleville Road. The Roadway Express trucking terminal is bordered: to the west by the Snaprite Manufacturing Inc. facility, to the north by undeveloped land, to the east by Lake Park-Belleville Road and undeveloped land, to the south by Peterson Road and residential homes. The Hart and Hickman ESA reports a public supply well located 0.45 miles to the north of the facility. The Lawrence Porter residence is located at 6328 Peterson Road and is approximately 100 feet south of the Roadway Express Trucking terminal. The Porter residence contains a well of unknown depth and does not have county or city water. Attempts to contact the Porter residence and determine if the well water is used for drinking were unsuccessful. The water in the well has not been tested as a part of this investigation.

Unknown solvents were used in the past to clean parts at the FMB. A "Safety Kleen" parts washer (150 system) using mineral spirits, replaced the old parts washer approximately two years ago.

As part of additional Phase II ESA, four permanent monitoring wells MW-1 (15 feet total depth), MW-2 (15 feet total depth), MW-3 (26 feet total depth), and MW-4 (15 feet total depth) were installed on the property. Seven soil borings were completed (SB-20 through SB-27). Groundwater and soil samples were analyzed for volatile organic compounds (VOCs) using EPA method 8260B. Some of the samples were also analyzed for polynuclear aromatic hydrocarbons (PAHs) EPA method 8270C. Tetrachloroethene was detected in MW-1 at 6.3 $\mu\text{g}/\text{l}$. MW-2, MW-3, and MW-4 were non-detect for the chemicals of concern. Chemicals detected in SB-20 (2-3 feet bgs) include: acetone at 3.00 mg/kg, tetrachloroethene at 0.021 mg/kg, and m&p-xylenes at 0.011 mg/kg. Tetrachloroethene was also detected in SB-21 (5-6 feet bgs) at 0.012 mg/kg.

According to an ESA conducted by Hart and Hickman naphthalene was detected in a water sample from TW-1 (near the oil/water separator) at 61.8 $\mu\text{g}/\text{l}$ (above the notification limit of 20 $\mu\text{g}/\text{l}$). Since this release is related to petroleum fuel it is exempted from notification under the Georgia HSRA, but is included here for completeness.

The Phase II did not define the extent of contamination. No actions have been taken to remediate the property.

RELEASE NOTIFICATION/REPORTING FORM



Mail to: GEORGIA ENVIRONMENTAL PROTECTION DIVISION
 Hazardous Sites Response Program
 Suite 1462, Floyd Tower East
 2 Martin Luther King Jr. Drive, SE
 Atlanta, Georgia 30334-9000

RECEIVED
 Georgia EPD
 JUL 27 2009
 Hazardous Sites
 Response Program

1. The information provided in this form is for:
 Initial Release Notification
 Supplemental Notification

PART I -- PROPERTY INFORMATION

(Please type or print legibly)

2	EPA ID NUMBER (if applicable)	GAD012099834			
3	Tax Map and Parcel ID Number:	LL 294 - 8th parcel 008	Acreage	26	
4	Site or Facility Name	Hubbell Die Casting			
5	Site Street Address	222 INDUSTRIAL DRIVE			
6	Site City	MOULTRIE	County	COLQUITT	Zip 31768
7	Property Owner	HUBBELL INCORPORATED			
8	Property Owner Mailing Address	584 DERBY MILFORD ROAD			
9	Property Owner City	ORANGE	State	CT	Zip 06477
10	Property Owner Telephone No.	203-799-4100			
11	Site Contact Person	MARY ANGELICOLA	Title	ENV. MANAGER	
12	Site Contact Company Name	ENVIRONMENTAL MANAGEMENT CONSULTANTS, INC			
13	Site Contact Mailing Address	412 ROOSEVELT DRIVE			
14	Site Contact City	DERBY	State	CT	Zip 06418
15	Site Contact Telephone No.	203-924-9544			
16	Facility Operator Contact Person	MIKE HIERS	Title	ENV. MANAGER	
17	Facility Operator Company Name	HUBBELL DIE CASTING			
18	Facility Operator Mailing Address	222 INDUSTRIAL DRIVE			
19	Facility Operator City	MOULTRIE	State	GA	Zip 31768
20	Facility Operator Telephone No.	229 985-3719			

21. CERTIFICATION -- I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Robert Stamper
 NAME (Please type or print)

 SIGNATURE

VP Finance - Hubbell Lighting
 TITLE
7/24/09
 DATE

PART II -- RELEASE INFORMATION

Page 2 of 5

Please provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, wastepile etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

The source of the release was spillage from a die storage area. The source has been removed.

2. Release date(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, liquid/gas, sludge) and the quantity of material released (lbs, cubic yards, etc.):

The release was ongoing over time. The material was mold release and oils. The quantity of material released is unknown but thought to be minimal based on data.

3. Describe those actions that have been taken to investigate, cleanup or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

The area was excavated. Data indicated that there is still a limited area that is impacted with low levels of phenolic compounds. (see attached report)

4. Access to the area affected by the release. Check the appropriate box:

- Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
- Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
- Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

The release is located inside of a building and is located in a small area under the building.

5. For soil releases, indicate the type of material covering this release, by checking the appropriate box below.

- A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
- An engineered and maintained earthen material or compacted fill or a high density synthetic material
- Loose earthen fill or native soil
- No cover
- Other

Describe the type and thickness of the material covering the contaminated soil or wastes.

The area is covered with a six inch layer of concrete.

PART II -- RELEASE INFORMATION

(Continued)

Page 3 of 5

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

- Less than 300 feet 1001 to 3000 feet Greater than 1 mile
 301 to 1000 feet 3001 to 5280 feet

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: _____

Address: 114 WMTM Road, Moultrie GA 31768

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

- Less than 0.5 miles 1 to 2 miles Greater than 3 miles
 0.5 to 1 mile 2 to 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: City of Moultrie GA0710004

Address: PO BOX 3368 Moultrie, GA 31776

8. Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

- Yes No

If yes, provide details on the potentially affected humans or sensitive environments.

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the locations of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g., parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you **MUST** submit an original U.S.G.S. topographical map (1:24000) with the geographic center of the site clearly marked. U.S.G.S. topographic maps are available for purchase on-line at <http://ggsstore.dnr.state.ga.us>.

RECEIVED

Georgia EPD

JUL 29 2009

Hazardous Sites
Response Program

20 July 2009

Georgia Environmental Protection Division
Hazardous Sites Response Program
Floyd Towers East, Suite #1462
2 Martin Luther King Jr. Drive, S.E.
Atlanta, Georgia 30334-9000

RE: Release Notification
841 / 851 Memorial Drive SE
Atlanta, Fulton County, Georgia

Dear Georgia Environmental Protection Department,

The Federal Deposit Insurance Corporation (FDIC) has had a Limited Phase II Environmental Site Assessment (ESA) completed at the above-referenced site located at 841 and 851 Memorial Drive SE in Atlanta, Fulton County, Georgia. ALL Consulting (ALL) and its subcontractor, Environmental Services, Inc. (ESI), collectively referred to as the ALL Project Team, performed the Limited Phase II ESA for the FDIC. The objective of the project was to collect representative soil and/or groundwater samples for laboratory analysis of Contaminants of Concern (COC) for areas of the site that exhibit Recognized Environmental Conditions (RECs) previously identified in a prior Phase I ESA assessment. The results of the Limited Phase II ESA confirmed the presence of carbon disulfide within two (2) soil samples that exceed the applicable regulatory values. More specifically, soil samples SS-2 and SS-2 DUP, collected from the 19-21 feet below ground surface (bgs) depth interval (directly above the bedrock interface) of soil boring SB-2 (located on the central southern portion of the site), yielded concentrations of carbon disulfide above the applicable regulatory values for a reportable quantity.


The FDIC is providing a copy of the Limited Phase II ESA for the property (**Attached**) to Georgia Environmental Protection Division (GAEPD) due to the presence of a reportable concentration of a COC. The FDIC is the receiver for the failed banks/lending institutions that are insured by the FDIC. The FDIC as receiver for a failed bank only holds a security interest and is not a responsible party as defined in Hazardous Site Response Act O.C.G.A. § 12-8-92. If there are any questions regarding the site and/or additional information is required, please contact Mr. Harve B. Johnson, Jr. of the FDIC at (202) 898-6945 or the ALL Project Team, Project Manager, Mr. David Epperly, P.E., PhD at (918) 382-7581.

Respectfully,

ALL Consulting


David Epperly, PhD, P.E.
VP/Project Manager

ENVIRONMENTAL SERVICES, INC.


Brett H. Miller, P.G.
Senior Geologist

cc: H. Johnson
(attachment)

RECEIVED
Georgia EPD
JUL 29 2009
Hazardous Sites
Response Program

20 July 2009

Georgia Environmental Protection Division
Hazardous Sites Response Program
Floyd Towers East, Suite #1462
2 Martin Luther King Jr. Drive, S.E.
Atlanta, Georgia 30334-9000

**RE: Release Notification
Peachtree Parkway Site
Suwanee, Forsyth County, Georgia**

Dear Georgia Environmental Protection Department,

The Federal Deposit Insurance Corporation (FDIC) has had a Limited Phase II Environmental Site Assessment (ESA) completed at the above-referenced site located at the northeastern corner of the intersection of Peachtree Parkway and Granite Drive in Suwanee, Forsyth County, Georgia. ALL Consulting (ALL) and its subcontractor, Environmental Services, Inc. (ESI), collectively referred to as the ALL Project Team, performed the Limited Phase II ESA for the FDIC. The objective of the project was to collect representative soil and/or groundwater samples for laboratory analysis of Contaminants of Concern (COC) for areas of the site that exhibit Recognized Environmental Conditions (RECs) previously identified in a prior Phase I ESA assessment.


The results of the Limited Phase II ESA confirmed the presence of COC that exceed the applicable regulatory values. More specifically, soil samples SS-3 and SS-3 DUP, collected from the 29-31 feet below ground surface (bgs) depth interval of soil boring SB-3 (located at the in-ground, hydraulic lift area), yielded concentrations of benzene above the applicable Notifiable Concentration (NC). Representative groundwater samples TMW-3 and TMW-3 DUP, collected from a temporary monitoring well installed at the location of soil boring SB-3, yielded concentrations of benzene that exceed the applicable NC. Additionally, upon removal of temporary monitoring wells TMW-2 and TMW-3, silvery paint-like Non-Aqueous Phase Liquid (NAPL) was noted on the well screens at the depth of the groundwater interface. The presence of the silver NAPL substance at the groundwater interface may be related to the former site use as an automotive paint and body repair facility and is likely linked to the soil and groundwater contamination at the site. An in-ground hydraulic lift and oil/water separator are still currently installed at the site and could also be potential sources for the identified COC impacts to the soil and groundwater.

Release Notification
Peachtree Parkway
21 July 2009
Page 2 of 2

The FDIC is providing a copy of the Limited Phase II ESA for the property (**Attached**) to Georgia Environmental Protection Division (GAEPD) due to the presence of a reportable concentration of a COC. The FDIC is the receiver for the failed banks/lending institutions that are insured by the FDIC. The FDIC as receiver for a failed bank only holds a security interest and is not a responsible party as defined in Hazardous Site Response Act O.C.G.A. § 12-8-92. If there are any questions regarding the site and/or additional information is required, please contact Mr. Harve B. Johnson, Jr. of the FDIC at (202) 898-6945 or the ALL Project Team, Project Manager, Mr. David Epperly, P.E., PhD at (918) 382-7581.


Respectfully,

ALL Consulting



David Epperly, PhD, P.E.
VP/Project Manager

ENVIRONMENTAL SERVICES, INC.



Brett H. Miller, P.G.
Senior Geologist

cc: H. Johnson
(attachment)



RELEASE NOTIFICATION FORM

HAZARDOUS SITES RESPONSE PROGRAM
 GEORGIA ENVIRONMENTAL PROTECTION DIVISION
 (Please type or print legibly)

RECEIVED
 Georgia EPD
 JUL 30 2009
 Hazardous Sites
 Response Program

1. The information provided in this form is for:
 Initial Release Notification
 Supplemental Notification

PART I -- PROPERTY INFORMATION

2	EPA ID NUMBER (if applicable)	GAD981472772			
3	Tax Map and Parcel ID Number:	17-0097-0001-071-B			
4	Site or Facility Name	Former Carriage Cleaners			
5	Site Street Address	3617 Roswell Road			
6	Site City	Atlanta	County	Fulton	Zip 30305
7	Property Owner	Smith Charles A Extr			
8	Property Owner Mailing Address	3609 Roswell Road			
9	Property Owner City	Atlanta	State	GA	Zip 30305
10	Property Owner Telephone No.				
11	Site Contact Person	Ms. Gilda Shemtoob	Title		
12	Company Name	Eli Property, LLC			
13	Site Contact Mailing Address	5541 Waterford Green Glen			
14	Site Contact City	Marietta	State	GA	Zip 30068
15	Site Contact Telephone No.	404-262-9223			
16	Facility Operator		Title		
17	Company Name				
18	Facility Operator Mailing Address				
19	Facility Operator City		State		Zip
20	Facility Operator Telephone No.				

21. CERTIFICATION --I certify under penalty of law that I am the owner of the real property described in this Release Notification and I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

John Reeves
 NAME (Please type or print)
 Project Scientist
 TITLE
 7/29/2009
 DATE
 [Signature]
 SIGNATURE

PART II -- RELEASE INFORMATION

Page ____ of ____

Please provide the following information for EACH release at the site. If additional space is needed to answer any of the following questions, attach additional pages, as necessary.

1. Source of this release (i.e., drums, tanks, spills, wastepile etc.). Provide specific information on the suspected or known source of the release, including the source of this information:

Not Available

2. Release date(s) and any known information about the history of the release, including the physical state of the material (solid, powder/ash, liquid/gas, sludge) and the quantity of material released (lbs, cubic yards, etc.):

Not Available

3. Describe those actions that have been taken to investigate, clean up or otherwise remediate this release (e.g., removal of source of contamination; soil or water sampling performed; and monitoring wells installed and sampled).

See Attached

4. Access to the area affected by the release. Check the appropriate box:

- Inaccessible: A 24-hour surveillance system, or a completely closed barrier or fence to prevent entry.
- Limited Access: Less than 24-hour surveillance system, and/or a barrier or fence that is partially open.
- Unlimited Access: No surveillance, and no barrier or fence.

If the site is inaccessible or has limited access, then describe site surveillance systems, fences, security personnel or other barriers that would restrict access to the release.

5. For soil releases, indicate the type of material covering this release, by checking the appropriate box below.

- A permanent or otherwise maintained, essentially impenetrable non-earthen material such as concrete or asphalt
- An engineered and maintained earthen material or compacted fill or a high density synthetic material
- Loose earthen fill or native soil
- No cover
- Other

Describe the type and thickness of the material covering the contaminated soil or wastes.

Approximately 4" of asphalt in the parking/drive areas, and 6" of concrete in the building pads.

PART II -- RELEASE INFORMATION

(Continued)

Page ____ of ____

6. Indicate the approximate distance from the edge of the area affected by the release to the nearest residence, playground, day care, school or nursing home.

Less than 300 feet
 301 to 1000 feet

1001 to 3000 feet
 3001 to 5280 feet

Greater than 1 mile

Provide the name and address of the nearest residence, playground, day care, school or nursing home.

Name: Mixed use (Commercial/residential) adjoining South

Address: _____

7. Indicate the distance between the area affected by the release and the nearest drinking water well (including wells located on the site).

Less than 0.5 miles
 0.5 to 1 mile

1 to 2 miles
 2 to 3 miles

Greater than 3 miles

Provide the name of the property owner and address of the location of the closest drinking water well.

Name: _____

Address: _____

8. Is there any evidence to suspect that a person or a sensitive environment has been exposed to this release?

Yes

No

If yes, provide details on the potentially affected humans or sensitive environments.

REQUIRED ATTACHMENTS

9. SITE SUMMARY

A. Attach a summary (no longer than one page) that gives a general description of the property, the areas affected by the release both within and beyond the property boundaries, and any actions taken to investigate, clean up or otherwise remediate the property. The summary shall include a description of the property boundaries of the site and adjacent properties as well as a detailed description of the nature and known or estimated extent of the area of contamination. Describe any additional relevant information concerning the nature of the release. In addition to the one page summary, other information concerning the property may also be attached.

B. Attach a site map that shows known or suspected sources as well as the locations of all samples collected at the site. The site map should include outlines of buildings as well as covered ground areas (e.g., parking lots or other paved areas). A legend should be provided to explain any symbols used on the map.

10. U.S.G.S. Topographic Map

Along with this form, you **MUST** submit an original U.S.G.S. topographical map (1:24000) with the geographic center of the site clearly marked. See instructions for information on how to obtain an original of the map on which your site is located.

PART IV -- GROUNDWATER RELEASE INFORMATION

Page ____ of ____

Please provide the following information for EACH regulated substance released to the groundwater at the site and submit the laboratory analytical sheets for all samples analyzed from the site. Use additional sheets if necessary.

Regulated Substance	CAS Number	Highest Detected Concentration (Specify Units)	Sample Depth Below Ground Surface (Feet)
MW-2 Cis-1,2-Dichloroethene		1,400 ug/L	18' BGS
Tetrachloroethene		890 ug/L	
trans-1,2-Dichloroethene		83 ug/L	
Trichloroethene		380 ug/L	
MW-3 Tetrachloroethene		72 ug/L	22.13' BGS